

Медицинские шприцы

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hws@nt-rt.ru || сайт: <https://hsw.nt-rt.ru/>

HSW HENKE-JECT® TBC

2 ml

Dosage syringe for tuberculin testing
Jeringa dosificadora para pruebas de tuberculina

- Fully visible glass barrel for visual verification
 - Ergonomic light weight metal, plastic design
 - 2 ml barrel with 0.1 ml increment trigger
 - Safe and easy needle change out via luer lock connection
 - Limited spare parts for easy service
 - Boilable
-
- Cilindro de vidrio transparente para verificación visual
 - Diseño ergonómico con peso reducido por combinación de metal y plástico
 - 2 ml cilindro, 0,1 ml por movimiento de palanca
 - Cambio de aguja seguro y fácil por adaptador Luer Lock
 - Servicio fácil por pocas piezas individuales
 - Puede hervirse



Included in delivery		Alcance del suministro	
HSW HENKE-JECT® TBC complete:		HSW HENKE-JECT® TBC completo:	
1 x Syringe		1 x Jeringa	
Version	Vol/ml	Item no.	
Modelo		No. de artículo	
Luer Lock	2 ml	2118000080	
Accessories		Item no.	
Accesorios		No. de artículo	
HSW-ECO® Needle /	0,7 x 4 mm 22 G x 1/8"	8021070046	
Aguja HSW-ECO®			



HSW HENKE-JECT® Insulin syringes

0,5 ml / 1 ml

HSW HENKE-JECT® Jeringas de insulina

- Crystal clear cylinder with easy to read scale
- Piston, piston-rod and cylinder consisting of Polypropylene
- With integrated needle
- Free of Pyrogene and PVC
- Free of Latex
- Non-toxic
- Certified acc. to ISO 9626 / Amd 1:2001 and ISO 8537:2007
- Double o-ring for additional security
- Cilindro cristalino y escala bien visible
- Pistón y cilindro de polipropileno, tapón de pistón de caucho-poliisopreno sintético
- Con aguja integrada
- Sin pirógena y PVC
- Sin látex
- No tóxico
- Certificado según ISO 9626 / Amd 1:2001 y ISO 8537:2007
- Aro de guarnición doble para más seguridad



Version Modelo	Vol/ml	Item no. No. de artículo
0,5ml INS 40IU 29Gx1/2"	0,5 ml	8300034658
1ml INS 40IU 29Gx1/2"	1 ml	8300034660



0,5 ml

Syringes of size 0.5 ml are delivered in a sterile polybag, 10 pcs. each.
Syringes of size 1 ml are delivered in a blister packaging.

Jeringas en tamaño 0,5 ml se suministrarán en bolso polietileno esteril (10 piezas).
Jeringas en tamaño 1 ml se suministrarán en envase blíster.




1 ml

HSW Schimmelbusch all-metal syringe



- all-metal syringe with 3-ring handle
- metal cylinder and piston can be replaced
- graduated piston rod with o-ring, graduation in mm and oz
- easy to dismantle and to clean
- autoclavable at 134 °C or 273 °F

Wound and bladder syringes HSW ULTRA-JANET



- durable glass and metal design with 3-ring handle
- graduated glass cylinder with precision cut
- easy to dismantle and to clean
- precision ground stainless steel piston
- autoclavable at 134 °C or 273 °F

HSW Ear and Irrigating syringe Self-refilling ear and cleaning syringe



- syringe made entirely of metal
- simple handling and precise dosage
- proven and well accepted design and handling
- easy to dismantle and to clean
- autoclavable at 134 °C or 273 °F
- can be ordered individually or as a set with all accessories in a premium leather case

HSW LIGMAJECT®



- all-metal syringe with 3-ring handle
- metal cylinder and piston can be replaced
- graduated piston rod with o-ring, graduation in mm and oz
- easy to dismantle and to clean
- autoclavable at 134 °C or 273 °F

HSW UNIVERSAL-OHRSPRITZE Selbstfüller-Ohr- und -Spülspritze



- durable glass and metal design with 3-ring handle
- graduated glass cylinder with precision cut
- easy to dismantle and to clean
- precision ground stainless steel piston
- autoclavable at 134 °C or 273 °F

HSW water syringe Irrigating syringe / water syringe with Luer Lock connector and needle



- simple handling and precise dosage
- proven and well-accepted design and handling
- can be completely dismantled and is easy to clean
- autoclavable at 134 °C or 273 °F

HENKE-DENT 500 SOFT-GRIP



- the thumb ring and finger plates are silicone covered to improve ergonomic handling and user comfort
- available in two sizes (standard and petite) and in 4 colors
- available in petite version: The light weight petite syringe designs fit smaller hands providing greater needle control while aspirating. The ergonomic, contoured thumb-ring maximizes operator comfort when aspirating.
- can be used with all commercially available cylinder ampoules with solid plug
- reliable aspiration with harpoon aspiration device
- side loading
- front part permanently attached
- secure handling and easy cleaning
- autoclavable at 134 °C or 273 °F
- also available with imperial (US) thread

HENKE-DENT 100 A and 100 B

- available in two reliable aspiration options: arrow tip (100 A) or corkscrew tip (100 B)
- suitable for all commercially available dental cartridges with solid plug
- bending mechanism for effortless insertion of the dental cartridges (breach loading)
- front part is screwed on and can be removed (metric and imperial (US) thread front part can be interchanged)
- secure handling and easy cleaning
- autoclavable at 134 °C or 273 °F

HENKE-DENT 200 SL



- high-quality ampoule syringe with reliable aspiration options: arrow tip or corkscrew tip
- side loading
- suitable for all commercially available dental cartridges with solid plug
- hand piece and thumb ring are completely rotatable for highest user comfort and flexibility
- front part permanently attached
- secure handling and easy cleaning
- autoclavable at 134 °C or 273 °F

HENKE-DENT 300 A Trio / B Quattro



- three or four movable aspiration hooks guarantee ideal aspiration
- these syringes meet the most discerning requirements with regard to design and handling
- suitable for all commercially available dental cartridges with solid plug
- user-friendly thanks to proven design
- finger plates and thumb ring are completely rotatable for highest user comfort and flexibility
- front part permanently attached bending mechanism for effortless insertion of the dental cartridges (breach loading)
- secure handling and easy cleaning
- autoclavable at 134 °C or 273 °F

HENKE-ASPIRATION-SYRINGE according to Cook-Waite (CW type)



- syringe design according to Cook-Waite
- side loading
- suitable for all commercially available dental cartridges with solid plug
- finger plates and thumb ring are completely rotatable for highest user comfort and flexibility
- front part permanently attached
- reliable aspiration with harpoon aspiration device
- secure handling and easy cleaning
- autoclavable at 134 °C or 273 °F

HENKE-ASPIRATION-SYRINGE ASTRA




- side loading
- suitable for all commercially available dental cartridges with solid plug
- front part permanently attached
- reliable aspiration with harpoon aspiration device
- secure handling and easy cleaning
- autoclavable at 134 °C or 273 °F

HENKE-DENT 3000 SA - ERGO



- 1,8 ml
- metrical / US
- ergonomical design
- light weight but high durability
- self-aspirating
- easy to use
- autoclavable at 134 °C or 273 °F
- biocompatible
- chemically resistant

HENKE-DENT 2000 SA



- automatically self-aspirating as the result of releasing pressure on the thumb ring
- ergonomic, contemporary design
- side loading
- can be used with all commercially available cylinder ampoules, depending on design (version A for ampoules with hole plug, version B for ampoules with solid plug)
- hand piece and thumb ring are completely rotatable for highest user comfort and flexibility
- front part permanently attached
- autoclavable at 134 °C or 273 °F


HENKE-DENT 100



- suitable for all commercially available dental cartridges
- (with hole plug and solid plug)
- bending mechanism for effortless insertion of the dental cartridges
- (breech loading)
- front part is screwed on and can be removed
- (metric and imperial (US) thread front part can be interchanged)
- secure handling and easy cleaning
- autoclavable at 134 °C or 273 °F

HENKE-PRESS

Application syringe for elastic impression materials



- this proven construction facilitates a simple, prompt and clean usage of the elastic impression mass with low loss of material
- the specially graduated piston rod ensures that the filling level is visible at all times
- each marking on the piston rod equals to 1 cc
- when the piston rod pulls back, the hardened elastic impression material is completely removed
- secure and sensitive grip due to the ergonomic finger support
- can be completely dismantled and is easy to clean
- autoclavable at 134 °C or 273 °F



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +375-257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hws@nt-rt.ru || сайт: <https://hsw.nt-rt.ru/>